

BANICO

Controls



Gas Solenoid Valves

Approved to EN161 - Meet British Gas Industry Requirements
230VAC coil. Class A. EN161 & Din3391 to 3394. Protection to IP54.

Normally Closed 230VAC

Valve Size	Connection	Part No.	Price Each
1/4"	BSP	ZVG8	£37.00
3/8"	BSP	ZEV10	£63.00
1/2"	BSP	ZEV15	£65.00
3/4"	BSP	ZEV20	£85.00
1"	BSP	ZEV25	£95.00
1 1/4"	BSP	ZEV32	£155.00
1 1/2"	BSP	ZEV40	£165.00
2"	BSP	ZEV50	£245.00
2 1/2"	BSP	ZEV65	£295.00
3"	BSP	ZEV80	£370.00
65mm	(2 1/2") flanged	ZEVF65	£380.00
80mm	(3") flanged	ZEVF80	£450.00
100mm	(4") flanged	ZEVF100	£760.00
125mm	(5") flanged	ZEVF125	£1,350.00
150mm	(6") flanged	ZEVF150	£1,400.00

Normally Closed 24VAC

Valve Size	Connection	Part No.	Price Each
1/2"	BSP	ZEV15F	£70.00
3/4"	BSP	ZEV20F	£90.00
1"	BSP	ZEV25F	£99.00
1 1/4"	BSP	ZEV32F	£160.00
1 1/2"	BSP	ZEV40F	£170.00
2"	BSP	ZEV50F	£250.00
2 1/2"	BSP	ZEV65F	£310.00
3"	BSP	ZEV80F	£385.00
65mm	(2 1/2") flanged	ZEVF65F	£420.00
80mm	(3") flanged	ZEVF80F	£500.00
100mm	(4") flanged	ZEVF100F	£800.00

Closed Position Indication (CPI) Switch

Valve Size	Part No.	Price Each
3/4"	CPI-20	£29.00
1"	CPI-25	£29.00
1 1/4"	CPI-32	£29.00
1 1/2"	CPI-40	£29.00
2"	CPI-50	£29.00
2 1/2" BSP & Flanged	CPI-65	£29.00
3" BSP & Flanged	CPI-80	£29.00
4" Flanged	CPI-100	£29.00

COSTER

CONTROLS
TEMPERATURE
ENERGY



Gas Solenoid Valves

Working temperature -15°C to +60°C without power Normally Closed with power Open

GNC Series

Valve Type	Valve Size DN	Bar Rating	Power Supply	Part No.	Price Each
Screwed	1/2"	0...2.8	230VAC	GNC 815	£70.00
			24VAC/DC	GNC 415	£75.00
			12VAC/DC	GNC 215	£75.00
	3/4"	0...5.5	230VAC	GNC 820	£90.00
			24VAC/DC	GNC 420	£95.00
			12VAC/DC	GNC 220	£95.00
	1"	0...8.4	230VAC	GNC 825	£95.00
			24VAC/DC	GNC 425	£100.00
			12VAC/DC	GNC 225	£100.00
	1 1/4"	0...14	230VAC	GNC 832	£130.00
			24VAC/DC	GNC 432	£140.00
			12VAC/DC	GNC 232	£140.00
1 1/2"	0...19	230VAC	GNC 840	£140.00	
		24VAC/DC	GNC 440	£150.00	
		12VAC/DC	GNC 240	£150.00	
2"	0...28	230VAC	GNC 850	£200.00	
		24VAC/DC	GNC 450	£210.00	
		12VAC/DC	GNC 250	£210.00	
65 (8 Holes)	0...55	230VAC	GNC 865	£575.00	
		24VAC/DC	GNC 465	£590.00	
		12VAC/DC	GNC 265	£590.00	
Flanged 80 (8 Holes)	0...70	230VAC	GNC 880	£680.00	
		24VAC/DC	GNC 480	£700.00	
		12VAC/DC	GNC 280	£700.00	
100 (8 Holes)	0...110	230VAC	GNC 8100	£1,030.00	
		24VAC/DC	GNC 4100	£1,030.00	

01902 39379

www.abgo.co.uk



Gas Safety Shut-Off Valves

Electro-Hydraulic 'POWERSEAT' Valves

Series 668 - Class "A" Safety Shut-off Valves, Normally closed

Features

- Gas families 1, 2 & 3
- Screwed bodies - Cast Aluminium
- Flanged bodies - Cast Iron

B668 Series

Type	Size	Part No.	Price Each
Screwed	1. 1/2"	BC6683	£488.80
	2"	BC6684	£541.35
	2. 1/2"	BC6685	£717.85
	3"	BC6686	£740.00
Flanged	2. 1/2"	BC6685FL4	£919.35
	3"	BC6686FL4	£1051.95
	4"	BC6687FL4	£1161.15
	6"	BC6689FL4	£1820.00
	8"	BC66810FL4	£5460.00
	10"	BC66811FL4	£6744.40

Optional extras

Type	Part No.	Price Each
Open Position Switch each	BC668*/SW	£46.00
110V 50Hz AC version - add		£23.75

With the exception of BC66RS all of the above are also suitable for use with all Solenoid Valves and with Electro-hydraulic valves of other manufacture, however installers should ensure that such products are approved to BS EN 161.

Gas Solenoid Valves

Series 2000 - Class "A" Safety Shut-off Valves, Normally closed

Features

- Gas Families 1, 2 & 3
- Cast Aluminium bodies

2000 Series

Type	Size	Part No.	Price Each
Fast Opening - Full Wave Rectified	3/4" BSP	2000 230V	£101.33
	1" BSP	2001 230V	£111.05
	1. 1/4" BSP	2002 230V	£149.65
	1. 1/2" BSP	2003 230V	£158.00
	2" BSP	2004 230V	£205.30
Fast Opening with Flow Adjuster	3/4" BSP	2000 230V R	£119.95
	1" BSP	2001 230V R	£122.60
	1. 1/4" BSP	2002 230V R	£175.60
	1. 1/2" BSP	2003 230V R	£182.20
	2" BSP	2004 230V R	£299.50
Fast Opening with Closed Position Indicator switch	3/4" BSP	2000 230V C	£201.85
	1" BSP	2001 230V C	£205.30
	1. 1/4" BSP	2002 230V C	£241.75
	1. 1/2" BSP	2003 230V C	£243.10
	2" BSP	2004 230V C	£334.25
Slow Opening, Full Wave Rectified	3/4" BSP	2000 230V S	£208.95
	1" BSP	2001 230V S	£220.80
	1. 1/4" BSP	2002 230V S	£267.50
	1. 1/2" BSP	2003 230V S	£271.40
	2" BSP	2004 230V S	£358.05
Slow Opening with Flow Adjuster	3/4" BSP	2000 230V S R	£213.70
	1" BSP	2001 230V S R	£228.30
	1. 1/4" BSP	2002 230V S R	£289.60
	1. 1/2" BSP	2003 230V S R	£295.10
	2" BSP	2004 230V S R	£436.55
Slow Opening with Closed Position Indicator switch	3/4" BSP	2000 230V S C	£280.90
	1" BSP	2001 230V S C	£310.35
	1. 1/4" BSP	2002 230V S C	£348.60
	1. 1/2" BSP	2003 230V S C	£355.15
	2" BSP	2004 230V S C	£474.15

01902 379379

www.abgo.co.uk

JOHNSON
CONTROLS

Gas Solenoid Valves

Features

- Compact body design
- Class A valves for control of main gas lines on commercial and industrial power and atmospheric gas burners

GH5000 Series 230VAC

Valve Size (inch)	Max. Operating Pressure mbar		Part No.	Price Each
Screwed				
1½"	1000	On-Off + CPI	GH-5119-5610	£375.99
2"	1000	On-Off + CPI	GH-5219-6610	£524.88
2½"	1000	On-Off + CPI	GH-5619-7611	£689.09
3"	1000	On-Off + CPI	GH-5619-8611	£723.01
Flanged				
2"	1000	On-Off + CPI	GH-5229-2610	£493.66
2½"	1000	On-Off + CPI	GH-5629-3611	£899.51
3"	800	On-Off + CPI	GH-5629-4611	£923.81
4"	800	On-Off + CPI	GH-5729-5610	£1,177.86
5"	650	On-Off + CPI	GH-5729-6610	£1,555.96
6"	350	On-Off + CPI	GH-5729-7610	£1,702.62

Electro Controls Limited
A Division of Stone Industries



Emergency STOP Button / Electro Thermal Link

Firemans Switch for remote override of ventilation plant in the event of fire.

EK... & EL Series

Type	Part No.	Price Each
Twist Knob	EK-10	£13.00
Key Lock	EK-25	£17.00
Electro Thermal Link	EL-72	£11.00

Sontay



Emergency STOP Button

A range of Emergency Stop Switches and Buttons for manual shutdown of systems in the event of fire or other emergency.

Features

Switch Rating: 6A @ 240Vac

EP-SW Series

Button Type	Part No.	Price Each
Push (recessed)	EP-SW10	£17.50
Twist Knob	EP-SW11	£17.50
Key Lock	EP-SW11-K	£23.00

Fusible Thermal Link

The EP-SW72 is for use in gas safety circuits. Units consist of a ventilated high temperature glass filled resin case, with electrical connection terminals and a thermal fuse. When located above boilers, the fuse activates on detection of over-temperature to close down the gas system. Replacement fuses are available.

Features

- High Temperature flame retardant glass filled resin housing.
- 72°C Melting Point
- IP20

EP-SW72 Series

Type	Part No.	Price Each
Air Velocity Sensor	EP-SW72	£7.75
Duct Probe adjustment flange	EP-SW72-F	£1.00

01902 379379

www.abgo.co.uk